



If you're currently taking SPIRIVA® HANDIHALER® (tiotropium bromide inhalation powder):

How to talk to your doctor about SPIRIVA RESPIMAT FOR YOUR COPD

Now that you're ready to ask your doctor if SPIRIVA RESPIMAT is right for you, here is a list of questions that you can ask to help get the conversation started.

- I sometimes have difficulty breathing in my medicine. Will SPIRIVA RESPIMAT be different?
- Will I get the same medicine from the SPIRIVA RESPIMAT mist as I do from the SPIRIVA HANDIHALER?
- What is the difference between my HANDIHALER and the RESPIMAT inhaler?
- I don't like dealing with loose capsules. Is the SPIRIVA RESPIMAT inhaler right for me?
- Cleaning my HANDIHALER device can be a lot of work. How do I clean the RESPIMAT inhaler?



Ask your doctor if upgrading to SPIRIVA RESPIMAT is right for you. Print this page out and bring it with you to your next appointment.



IMPORTANT SAFETY INFORMATION

Do not use SPIRIVA RESPIMAT or SPIRIVA HANDIHALER if you are allergic to tiotropium, ipratropium, atropine or similar drugs, or any ingredient in these medicines.

SPIRIVA RESPIMAT or SPIRIVA HANDIHALER are not rescue medicines and should not be used for treating sudden breathing problems. Your doctor may give you other medicine to use for sudden breathing problems.

SPIRIVA RESPIMAT or SPIRIVA HANDIHALER can cause allergic reactions. Symptoms can include raised red patches on your skin (hives), itching, rash and/or swelling of the lips, tongue, or throat that may cause difficulty in breathing or swallowing. If you have any of these symptoms, stop taking the medicine and seek emergency medical care.

Please see Important Safety Information continued on back page. Please see full [Prescribing Information](#) for SPIRIVA RESPIMAT, including [Instructions for Use](#), and full [Prescribing Information](#) for SPIRIVA HANDIHALER, including [Patient Information](#) and [Instructions for Use](#).

IMPORTANT SAFETY INFORMATION (CONT'D)

Before using SPIRIVA HANDIHALER (tiotropium bromide inhalation powder), tell your doctor if you have a severe allergy to milk proteins.

SPIRIVA RESPIMAT or SPIRIVA HANDIHALER can cause your breathing to suddenly get worse (bronchospasm). If this happens, use your rescue inhaler, stop taking SPIRIVA, and call your doctor right away or seek emergency medical care.

SPIRIVA RESPIMAT or SPIRIVA HANDIHALER can increase the pressure in your eyes (acute narrow-angle glaucoma) which can cause the following symptoms: eye pain, blurred vision, seeing halos or colored images along with red eyes. If you have any of these symptoms, stop taking your medicine and call your doctor right away.

Dizziness and blurred vision may occur with SPIRIVA RESPIMAT or SPIRIVA HANDIHALER. If you experience these symptoms, use caution when engaging in activities such as driving a car, or operating appliances or other machines.

SPIRIVA RESPIMAT or SPIRIVA HANDIHALER can cause new or worsened urinary retention. Symptoms of blockage in your bladder and/or enlarged prostate may include difficulty passing urine and/or painful urination. If you have any of these symptoms, stop taking your medicine and call your doctor right away.

The most common side effects reported with SPIRIVA RESPIMAT in patients with COPD include sore throat, cough, dry mouth, and sinus infection.

The most common side effects reported with SPIRIVA HANDIHALER in patients with COPD include upper respiratory tract infection, dry mouth, sinus infection, sore throat, non-specific chest pain, urinary tract infection, indigestion, runny nose, constipation, increased heart rate, and blurred vision.

Do not swallow SPIRIVA capsules. The contents of the capsule should only be inhaled through your mouth using the HANDIHALER device.

Do not spray SPIRIVA RESPIMAT into your eyes, as this may cause blurring of vision and pupil dilation.

Tell your doctor about all your medical conditions including kidney problems, glaucoma, enlarged prostate, problems passing urine, or blockage in your bladder.

Tell your doctor all the medicines you take, including eye drops. Ask your doctor if you are taking any anticholinergic medicines because taking them together with SPIRIVA can increase side effects. Do not use SPIRIVA RESPIMAT and SPIRIVA HANDIHALER together.

INDICATIONS

SPIRIVA RESPIMAT, 2.5 mcg, and SPIRIVA HANDIHALER are long-term, once-daily, prescription maintenance medicines used to control symptoms of chronic obstructive pulmonary disease (COPD) by relaxing your airways and keeping them open. COPD includes chronic bronchitis and emphysema. SPIRIVA RESPIMAT and SPIRIVA HANDIHALER also reduce the likelihood of flare-ups (COPD exacerbations).

SPIRIVA is not a treatment for sudden symptoms of COPD.

You are encouraged to report negative side effects of prescription drugs to the FDA. Visit www.fda.gov/medwatch or call 1-800-FDA-1088.

CL-SVR-0040 2.8.2016

Please see full [Prescribing Information](#) for SPIRIVA RESPIMAT, including [Instructions for Use](#), and full [Prescribing Information](#) for SPIRIVA HANDIHALER, including [Patient Information](#) and [Instructions for Use](#).

